

## Checklist for Ordering

Use this handy checklist to select which GP typing element is best for you.

### Correct Element for your typewriter.

Determine if your typewriter requires an 88 or 96 character GP Element.

**GP 88 Character Elements fit the following ball element typewriters:**

- IBM Personal
- Juki Sierra 3300, 3400, 3500
- Remington
- Xerox
- BSI
- IBM Selectric I and II
- Juki 35XL Office Writer II
- Silver Reed
- Contrintra

**GP 96 Character Elements fit only:**

- IBM Electronic Models 50, 60, 65, 75, 85, 95
- IBM Selectric III

**NOTE: ATTEMPTING TO INSTALL AN ELEMENT ON THE WRONG EQUIPMENT WILL DAMAGE THE ELEMENT AND VOID THE ELEMENT WARRANTY.**

### Proper Pitch Spacing (number of characters per inch).

GP manufactures elements in 10, 12, 10/12 pitch and Proportional Spaced. Select the pitch appropriate to your needs. Keep in mind that the pitch setting on the typewriter must match the pitch of the element to type with the proper spacing. Pitch information is shown on the typewriter element cap and typewriter with these symbols:

- ▲ 10 Pitch      △ 12 Pitch      \* Proportional Spaced

**NOTE: PROPORTIONAL SPACED ELEMENTS CAN BE USED ONLY ON IBM ELECTRONIC MODELS 50, 65, 85 AND 95 TYPEWRITERS.**

### Proper Point Size (height of the typed characters).

GP Elements come in a variety of point sizes, ranging from the small 6 points

(**LIKE THIS FORMS 1<sup>®</sup>**) to the large 14 points

(**like this ORATOR**). The most common character sizes on typewriter elements are 10 and 12 point.

### Best Option Code for your specific business application.

GP manufactures several option codes for the most frequently used keyboards. Each option code provides a special set of characters for a specific business application that can be typed using the variable keys on the keyboard. (See pages 2-4.)

**NOTE: AN ELEMENT CAN HAVE ONLY ONE OPTION CODE.**

### Appropriate Typestyle for your application.

GP manufactures a complete selection of standard correspondence typestyles, with applications for every office, as well as a variety of OCR (Optional Character Recognition) typestyles. In addition, GP manufactures the exclusive PREMIUM LINE of typestyles with their "typeset" appearance, designed to meet special application needs. These styles range from the applications-oriented FORMS 1<sup>®</sup> to the artistry of Calligraphy; to the bold, eye-catching impact of HEADLINE.

### Correct Part No.

To process your order quickly and efficiently, make certain to specify the correct part number for the element you have selected.

GP part numbers are identical to the last three digits (88 character elements) or four digits (96 character elements) of the full IBM part number. The GP part number can be found under the pump handle on the element.



**HAVE A QUESTION OR NEED ADDITIONAL INFORMATION IN ORDERING OR USING GP PRODUCTS? CALL YOUR LOCAL OFFICE PRODUCTS DEALER OR GP TOLL FREE AT (800) 523-1809. IN PENNSYLVANIA AND OUTSIDE THE CONTINENTAL U.S. CALL (215) 563-2200.**

## Frequently Used Keyboards

Most typewriters in the U.S. utilize one of the keyboards shown on the following pages. Each keyboard version contains the full alphabet, numbers, and symbols shown in their respective illustration. Plus, some of the keyboards contain variable keys (numbered and shaded in blue) which allow the typist to select those punctuation characters best suited to the work being typed. The combination of characters appearing on these variable keys is known as an option code.

## 88 Character Keyboards

### American Standard 88 Character Keyboard

(IBM 101 Keyboard)



	Option A	Option B	Option C	Option D	Option H	Option J	Option R
Variable Key 1	1	2	3	4	5	6	7
Variable Key 2	8	9	0	1	2	3	4

The "X" OPTION CODE refers to specialty elements or correspondence typestyles containing uncommon characters.

### Legal 88 Character Keyboard

(IBM 177 Keyboards)



	Option E	Option F	Option G
Variable Key 1	1	2	3
Variable Key 2	4	5	6

Please note that on all options 1 replaces @ above the 2, and 5 replaces e above the 6.

### Accounting 88 Character Keyboard

(IBM 172 Keyboards)



Option S The punctuation characters that appear as standards in Option S are shown on the keys shaded in blue.

### Tri-lingual 88 Character Keyboard

(IBM 074 Keyboard)



Specialty characters that appear as standards on this keyboard are shown on the keys shaded in blue.

### Latin American 88 Character Keyboard

(IBM 002 Keyboards)



**Option N** The punctuation characters that appear as standards in Option N are shown on the keys shaded in blue.

**Please Note:** When using a Latin American element on an American keyboard typewriter the "N" will not print as darkly as other characters, because it appears on a "low velocity" key. The "N" does print properly on Latin American keyboard typewriters.

### French Canadian 88 Character Keyboard

(IBM 492, 493 Keyboard)



	Option M	Option P	Option Q
Variable Key 1	ç	é	ê
Variable Key 2	û	ë	ï

**Please note:** When using a French Canadian element on an American keyboard typewriter, four of the keys reverse positions: the colon, semicolon key reverses with the circumflex, accent grave key and the ¼, ½ key reverses with the @, # key.

### 96 Character Keyboards

#### American Standard 96 Character Keyboard



	Option A	Option J	Option H
Variable Key 1	í	ï	ü
Variable Key 2	ñ	•	®

The "X" OPTION CODE refers to specialty elements or correspondence typesets containing uncommon characters.

#### Latin American 96 Character Keyboard

(IBM 196 Keyboard)



The specialty characters available as standards on this keyboard are shown on the keys shaded in blue.

**Please Note:** This configuration of characters only appears on the IBM Latin American 196 Keyboard. When using a Latin American element on a U.S. keyboard, the specialty characters will appear in different positions, depending on the element and keyboard.

#### French Canadian 96 Character Keyboard

(IBM 447 Keyboard)



The specialty characters available as standards on this keyboard are shown on the keys shaded in blue.

**Please Note:** This particular configuration only appears on the IBM French Canadian 447 Keyboard. When using a French Canadian element on a U.S. Keyboard, the specialty characters will appear in different positions, depending on the element and keyboard.

**NOTES:**

\* The 96 Character Keyboard is found on IBM's Electronic Models 50, 60, 65, 75, 85, and 95, and Selectric III typewriters. The keyboard is actually available in three versions.

• the 96 character version which accesses every key

• the 94 character version which does not include

• the 92 character version which does not include

and

Part numbers for 96 character elements appear in blue on the following typeset pages. Also, those symbols which appear only on the 96 character element version of the typeset are shown in blue.

## Premium Typestyles

A unique way  
to express yourself  
on the typewriter!

### Bold Courier 10 point 10 pitch

Gives your words the boldness they need to get your message through.

ABCDEFGHIJKLMNPOQRSTUVWXYZ  
abcd efghijklmnopqrstuvwxyz  
!@#%&\*()½?1234567890½ [ ³ ¶ ± ] ² \$

Option Code—Part Numbers: A-370 96A-2370

### Business Script® 12 point 10 pitch

Offers a strong personal touch with its bold adaptation of actual handwriting.

ABCDEFGHIJKLMNPOQRSTUVWXYZ  
abcd efghijklmnopqrstuvwxyz  
!@#%&\*()½?1234567890½ [ ³ ¶ ± ] ² \$

Option Code—Part Numbers: A-350 96A-2350

### Calligraphy 10 point 10/12 pitch

Recreates the fine art of hand lettering with its beautiful, graceful lines.

ABCDEFGHIJKLMNPOQRSTUVWXYZ  
abcd efghijklmnopqrstuvwxyz  
!@#%&\*()½?1234567890½ [ ³ ¶ ± ] ² \$

Option Code—Part Numbers: A-352 96A-2352

### Contempo® 12 point 10 pitch

Gives letters a sleek, modern look with its adaptation of a popular font -- Optima.

ABCDEFGHIJKLMNPOQRSTUVWXYZ  
abcd efghijklmnopqrstuvwxyz  
!@#%&\*()½?1234567890½ [ ³ ¶ ± ] ² \$

Option Code—Part Numbers: A-351 96A-2351

Refer to page 18 for a complete listing of all typetypes, part numbers and option codes.

Due to space limitations, the standard punctuation characters, . , : ; \* + = - ' / are not shown in the type sample.

## A unique way to express yourself on the typewriter!

### Forms 1® 6 and 8 point 12 pitch

#### CREATES TYPESHOP QUALITY FORMS

#### RIGHT ON THE TYPEWRITER.

ABCDEFGHIJKLMNPOQRSTUVWXYZ  
ABCDEFGHIJKLMNPOQRSTUVWXYZ



NAME	AGE
ADDRESS	
CITY	STATE ZIP

Form shown at 75% of actual size.

Option Code—Part Numbers: 88X-392 96X-2392

### Headline 13 and 10 point 12 pitch

#### CREATES EYE CATCHING

HEADLINES, TITLES, ETC.

ABCDEFGHIJKLMNPOQRSTUVWXYZ  
ABCDEFGHIJKLMNPOQRSTUVWXYZ  
1234567890! ? 1 2 3 4 5 6 7 8 9 0 ! ? % & \* ± ¶

Option Code—Part Numbers: 88X-393 96X-2354

### Olde English® 12 point 10/12 pitch

Adds a look of distinction to special announcements, invitations, greetings, etc.

ABCDEFGHIJKLMNPOQRSTUVWXYZ  
abcd efghijklmnopqrstuvwxyz  
!@#%&\*()½?1234567890-£| | † ‡ ± ¶

Option Code—Part Numbers: 88X-390 NX-393 96X-2390 96NX-2393

### Olde English® 12 point Proportional Spaced\* (For IBM Model 50, 65, 85, and 95 Electronic Typewriters only.)

Adds a look of distinction to special announcements, invitations, greetings, etc.

ABCDEFGHIJKLMNPOQRSTUVWXYZ  
abcd efghijklmnopqrstuvwxyz  
!@#%&\*()½?1234567890-£| | † ‡ ± ¶

Option Code—Part Numbers: 96X-2391

Please Note: Olde English proportional spaced is also available for 88 Character IBM Selectric Compositors. Ask for P/N 4390.

Part numbers for 96 character elements appear in blue. Also, those symbols which appear only on the 96 character element version of the typetype are shown in blue.

---

**Premium Typestyles**

*A unique way  
to express yourself  
on the typewriter!*

**Oriental** 10 point

10/12 pitch

Brings the intriguing flair  
of the Orient to menus,  
newsletters, gift tags, etc.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%&'()\*+,-./:  
[ ] ^ \_ ` { } ~

---

Option Code—Part Numbers: A-355 96A-2355

---

---

**10 Pitch Correspondence Typestyles****Advocate** 12 point

Select the proper GP type style  
to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%&'()\*+,-./:  
[ ] ^ \_ ` { } ~

---

Option Code—Part Numbers: A-130 C-050 D-036 N-003 96A-2007 M-774

---

**Bookface Academic 72** 10 point

Select the proper GP type style  
to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%&'()\*+,-./:  
[ ] ^ \_ ` { } ~

---

Option Code—Part Numbers: A-158 96A-2904

---

**Courier 72** 10 point

Select the proper GP type style  
to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%&'()\*+,-./:  
[ ] ^ \_ ` { } ~

---

Option Code—Part Numbers: A-134 C-015 D-029 R-334 J-304  
E-178 F-177 G-051 N-040 96A-2002 96N-2012 M-783 Q-479 96FC-1887

---

**Delegate** 12 point

Select the proper GP type style  
to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%&'()\*+,-./:  
[ ] ^ \_ ` { } ~

---

Option Code—Part Numbers: A-135 C-070 D-035 N-002 96A-2912  
96N-2927 M-776 96FC-1882

---

**Manifold** 10 point

SELECT THE PROPER GP TYPE STYLE  
TO GIVE YOUR MESSAGE IMPACT.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
!@#%&'()\*+,-./:  
[ ] ^ \_ ` { } ~

---

Option Code—Part Numbers: A-140 B-010 D-028 88X-019 96A-2914 M-779

---

(To Be Announced)

---

Refer to page 18 for a complete listing of all typestyles, part numbers and option codes.

Due to space limitations, the standard punctuation characters, . , ; " ' + = - / are not shown in the type sample.

Part numbers for 96 character elements appear in blue. Also, those symbols which appear only on the 96 character element version of the typestyle are shown in blue.

## 10 Pitch Correspondence Typestyles

### Orator 14 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%\$&\*()~?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-141 B-059 D-060 N-359 96A-2906 96N-2928

### Orator Language Arts 14 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%\$&\*()~?1234567890½°/

Option Code—Part Numbers: 88X-236

### Pica 72 12 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-142 C-008 D-027 G-017 96A-2907 M-782

### Presentor 14 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%\$&\*()□?1234567890•°[³¶±]²§

Option Code—Part Numbers: 88X-245 96X-2029 M-399

### Prestige Pica 72 12 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-123 E-182 F-181 N-198 R-323 S-172 96A-2905

## 12 Pitch Correspondence Typestyles

### Adjutant 9 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-129 C-030 D-031 96A-2924 M-775

### Artisan 12-72 10 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-131 C-053 D-055 N-062 96A-2004 P-477

### Auto Elite 12 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-208 96A-2010

### Courier 12 8 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-132 C-067 D-068 N-200 96A-2908 96N-2930 M-490

### Courier 12 Italic 8 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-133 C-085 D-086 96A-2005

Refer to page 18 for a complete listing of all typestyles, part numbers and option codes.

Part numbers for 96 character elements appear in blue. Also, those symbols which appear only on the 96 character element version of the typestyle are shown in blue.

Due to space limitations, the standard punctuation characters , . : ; ' \* + = - / are not shown in the type sample.

## 12 Pitch Correspondence Typestyles

### Dual Gothic 10 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNQRSTUUVWXYZ  
abcdefghijklmnopqrstuuvxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-136 C-020 D-021 96A-2001

### Elite 72 10 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNQRSTUUVWXYZ  
abcdefghijklmnopqrstuuvxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-137 C-007 D-026 88X-183 96A-2913  
96N-2931 M-781

### Large Elite 72 10 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNQRSTUUVWXYZ  
abcdefghijklmnopqrstuuvxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-161 96A-2008

### Letter Gothic 12 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNQRSTUUVWXYZ  
abcdefghijklmnopqrstuuvxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-138 C-005 D-039 N-063 R-338 88X-302  
J-305 96A-2909 96N-2932 M-734 96FC-1893

### Light Italic 10 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNQRSTUUVWXYZ  
abcdefghijklmnopqrstuuvxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-139 B-014 D-032 96A-2922 96N-2933 P-780

## 12 Pitch Correspondence Typestyles

### Prestige Elite 72 10 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNQRSTUUVWXYZ  
abcdefghijklmnopqrstuuvxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-143 C-012 D-033 E-180 F-179 G-049  
N-041 R-343 J-303 88X-235 96A-2003 96N-2013 M-784 96FC-1885

### Scribe 10 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNQRSTUUVWXYZ  
abcdefghijklmnopqrstuuvxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-144 C-001 D-025 N-018 96A-2009 M-778

### Script 12 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNQRSTUUVWXYZ  
abcdefghijklmnopqrstuuvxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-145 B-090 D-034 N-042 R-777 96A-2923  
96N-2935 96FC-1888

## Proportional Spaced Correspondence Typestyles

(For 96 Character IBM Electronic 50, 65, 85 and 95 Typewriters Only)

### Boldface 10 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNQRSTUUVWXYZ  
abcdefghijklmnopqrstuuvxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: 96A-2915

### Title 10 point

Select the proper GP type style to give your message impact.  
ABCDEFGHIJKLMNQRSTUUVWXYZ  
abcdefghijklmnopqrstuuvxyz  
!@#%\$&\*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: 96A-2902

Refer to page 18 for a complete listing of all typestyles, part numbers and option codes.

Part numbers for 96 character elements appear in blue. Also, those symbols which appear only on the 96 character element version of the typestyle are shown in blue.



Electronic Scanners are an important feature of many word processing centers found in today's offices. OCR elements play an integral role in the use of electronic scanners in that they produce typewritten material that can be read automatically by these scanners. GP Technologies offers a wide assortment of OCR elements in a variety of type styles.

Before selecting a type style, however, it is important to keep the following points in mind:

1. Some OCR Elements have only Upper case characters, while the others have Upper and Lower case.
2. Some elements contain a 10-key numeric pad on upper case positions which perform as a keypunch or adding machine simulator.
3. OCR elements usually contain one or more of each of the special punctuation symbols shown below.

## OCR TYPESTYLE AND PART NUMBER DIRECTORY

TYPE STYLE	P/N	SPECIAL SYMBOLS	ELEMENT KEYBOARD LAYOUT			
			KEYPUNCH SIMULATOR UPPER CASE	UPPER CASE	UPPER CASE LOWER CASE	FOREIGN SYMBOLS UPPER CASE
1428-OCR	016	⊠ ✕	✓			
915-OCR	065	⊠   ⊠ Δ { } ⊠ ↑ ↓ ∇ ∪	✓			
	122	⊠   ⊠   ⊠ Δ { } ⊠ ∇ ∪	✓			
ANSI-OCR-A	056	⊠ { } ⊠   ⊠ ∇ ∪	✓			
	091	⊠ ∇ ∪   { } ⊠ ⊠		✓		
	108	⊠ ∇ ∪   { } ⊠ ⊠		✓		
	2027	⊠ ∇ ∪ ∇   { } ⊠ ⊠ ⊠ ⊠		✓		
	2919	⊠ ∇ ∪ ∇   { } ⊠ ⊠ ⊠ ⊠ ⊠ ∇ ∪ ∇ ⊠			✓	
Printing & Publishing No.1	170	⊠ ∇ ∪ ∇   { } ⊠ ⊠			✓	
Printing & Publishing No.2	157	⊠   { } ⊠ Δ ⊠		✓		
	199	⊠   { } ⊠ Δ ⊠		✓		
Printing & Publishing No.3	173	Δ [ ]			✓	
OCR-B	185	\ ∇ < > ⊠				✓
	210	< [ ]				✓
	224	< [ ] ⊠ ^ ~ ' ç é			✓	
	232	> < [ ]			✓	
	301*	⊠ ⊠ < [ ]			✓	
	306*	< [ ç ] é			✓	
	307*	⊠ ⊠ [ ]			✓	
	2920	<   ⊠ ^ ∇ \ > _ ∇ ⊠			✓	
2949	⊠ ⊠ < ∇ ^ ∇ ⊠ >   ^ ∇			✓		
2952	<   ⊠ [ ∇ \ > ⊠ ∇ ⊠			✓		

Part numbers for 96 character elements appear in blue.

\* Known as Hendrix Gothic OCR-B, these elements feature red caps and pump handles for easy identification.

**Please Note:** The type samples below only show the alphabetical and numerical characters found in a particular OCR type style. Please refer to the chart at the left for information on the keyboard layout and special symbols found on the particular part number you need.

## 1428-OCR

(for use with the IBM 1428 Scanner)

ABCDEFGHIJKLMN OPQRSTUVWXYZ  
1234567890

## 915-OCR

(for use with CDC 915 Scanner)

ABCDEFGHIJKLMN OPQRSTUVWXYZ  
1234567890

## ANSI-OCR-A

(The official American National Standards Institute Character set)

ABCDEFGHIJKLMN OPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
1234567890

## Printing and Publishing No.1

(part of the ANSI-OCR-A family)

ABCDEFGHIJKLMN OPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
1234567890

## Printing and Publishing No.2

(for use with Compucan 170 and Recognition Equipment, Inc. Scanner)

ABCDEFGHIJKLMN OPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
1234567890

## Printing and Publishing No.3

(for use with ECRM, Inc. Scanners)

ABCDEFGHIJKLMN OPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
1234567890

## OCR-B

(for use with the IBM 3886 Scanner and the Hendrix Scanner)

ABCDEFGHIJKLMN OPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
1234567890

Due to space limitations, the standard punctuation characters . , ; : \* ' + = - / are not shown in the type sample.



# Part Number Order Directory to GP Technologies' American, French Canadian and Latin American Elements (3/01/86)

## AMERICAN 88 CHARACTER P/N Typestyle

001	Scribe
004	Symbol 12
005	Letter Gothic
007	Elite 72
008	Pica 72
010	Manifold
012	Prestige Elite 72
014	Light Italic
015	Courier 72
017	Pica 72
019	Manifold
020	Dual Gothic
021	Dual Gothic
025	Scribe
026	Elite 72
027	Pica 72
028	Manifold
029	Courier 72
030	Adjutant
031	Adjutant
032	Light Italic
033	Prestige Elite 72
034	Script
035	Delegate
036	Advocate
039	Letter Gothic
049	Prestige Elite 72
050	Advocate
051	Courier 72
053	Artisan 12-72
055	Artisan 12-72
059	Orator
060	Orator
061	Symbol 10
067	Courier 12
068	Courier 12
070	Delegate
085	Courier 12 Italic
086	Courier 12 Italic
090	Script
123	Prestige Pica 72
129	Adjutant
130	Advocate
131	Artisan 12-72
132	Courier 12
133	Courier 12 Italic
134	Courier 72
135	Delegate
136	Dual Gothic
137	Elite 72
138	Letter Gothic
139	Light Italic
140	Manifold
141	Orator
142	Pica 72
143	Prestige Elite 72
144	Scribe
145	Script
158	Bookface Academic 72
161	Large Elite 72
172	Prestige Pica 72
177	Courier 72
178	Courier 72
179	Prestige Elite 72
180	Prestige Elite 72
181	Prestige Pica 72
182	Prestige Pica 72
183	Elite 72
208	Auto Elite
235	Prestige Elite 72 Tri-Lingual
236	Orator Language Arts
243	Symbol II

\*Premium Priced  
Information subject  
to change.

## AMERICAN 88 CHARACTER P/N Typestyle

245	Presentor
302	Letter Gothic
303	Prestige Elite 72*
304	Courier 72*
305	Letter Gothic*
310	Sunshine Script
311	Sunshine Orator
323	Prestige Pica 72
334	Courier 72
338	Letter Gothic
343	Prestige Elite 72
350	Business Script <sup>®</sup> *
351	Contempo*
352	Calligraphy*
353	Report
354	Headline*
355	Oriental*
356	Shadow*
365	Astrology*
370	Bold Courier*
390	Olde English*
392	Forms I <sup>®</sup> *
999	Diagnostic*

## AMERICAN 96 CHARACTERS P/N Typestyle

2001	Dual Gothic
2002	Courier 72
2003	Prestige Elite 72
2004	Artisan 12-72
2005	Courier 12 Italic
2007	Advocate
2008	Large Elite 72
2009	Scribe
2010	Auto Elite
2014	Symbol 10
2029	Presentor
2310	Sunshine Script
2311	Sunshine Orator
2350	Business Script <sup>®</sup> *
2351	Contempo*
2352	Calligraphy*
2353	Report
2354	Headline*
2355	Oriental*
2356	Shadow*
2370	Bold Courier*
2390	Olde English*
2391	Olde English*
2392	Forms I <sup>®</sup> *
2902	Title
2904	Bookface Academic 72
2905	Prestige Pica 72
2906	Orator
2907	Pica 72
2908	Courier 12
2909	Letter Gothic
2912	Delegate
2913	Elite 72
2914	Manifold
2915	Boldface
2922	Light Italic
2923	Script
2924	Adjutant
2934	Symbol 12

## FRENCH CANADIAN 88 CHARACTERS P/N Typestyle

399	Presentor
477	Artisan 12-72
479	Courier 72
490	Courier 12
734	Letter Gothic
774	Advocate
775	Adjutant
776	Delegate
777	Script
778	Scribe

## FRENCH CANADIAN 88 CHARACTERS P/N Typestyle

779	Manifold
780	Light Italic
781	Elite 72
782	Pica 72
783	Courier 72
784	Prestige Elite 72

## FRENCH CANADIAN 96 CHARACTERS P/N Typestyle

1882	Delegate
1885	Prestige Elite 72
1887	Courier 72
1888	Script
1893	Letter Gothic

## LATIN AMERICAN 88 CHARACTERS P/N Typestyle

002	Delegate
003	Advocate
018	Scribe
040	Courier 72
041	Prestige Elite 72
042	Script
062	Artisan 12-72
063	Letter Gothic
198	Prestige Pica 72
200	Courier 12
359	Orator
393	Olde English*

## LATIN AMERICAN 96 CHARACTERS P/N Typestyle

2012	Courier 72
2013	Prestige Elite
2393	Olde English*
2927	Delegate
2928	Orator
2930	Courier 12
2931	Elite 72
2932	Letter Gothic
2933	Light Italic
2935	Script

## OCR 88 CHARACTERS P/N Typestyle

016	1428-OCR
056	ANSI OCR-A
065	915-OCR
091	ANSI OCR-A
108	ANSI OCR-A
122	915-OCR
157	Printing & Publishing #2
170	Printing & Publishing #1
173	Printing & Publishing #3
185	OCR-B
199	Printing & Publishing #2
210	OCR-B
224	OCR-B
232	OCR-B
301	Hendrix Gothic*
306	Hendrix Gothic III*
307	Hendrix Gothic II*

## OCR 96 CHARACTERS P/N Typestyle

2027	OCR-A
2919	ANSI-OCR-A
2920	OCR-B
2949	OCR-B(Latin American)
2952	OCR-B

©GP 3/86 Printed in USA  
P/N 8321

